



LOOK UP

TO GREAT DESIGNS | TO WIDE RANGE | TO ENERGY SAVINGS

Hawa Badlegi



**LOOK
UP** **TO GREAT DESIGNS**
TO WIDE RANGE
TO ENERGY SAVINGS

**WIDEST RANGE OF STAR RATED
DESIGNER FANS BY HAVELLS.**

Premium Underlight Fans

12

BLDC Energy Saving Fans

38

Special Finish Fans

58

Kids Fans

78

Decorative Fans

84

Regular Fans

112

Table Fans

128

Wall Fans

136

Lifestyle Fans

156

Pedestal Fans

168

Ventil Air Fans

192

Industrial Fans

218



PURITY FOR **SURETY**

HIGH STRENGTH

Stronger than aluminum

HIGH PERFORMANCE

Almost twice the current carrying capacity vs aluminum

HIGH STABILITY

Copper is non-reactive to Water, not susceptible to Oxidation and unaffected by Temperature changes

HIGH DUCTILITY

Can be drawn into very thin wires, easier to solder, very high flexibility, hence easy to install and repair





Amaya

An Italian Elegance and
Sophistication that screams
STUNNING !

Range of style, comfort & decor

Presenting a wide range of Domestic and Industrial fans from the house of Havells



AWARDS AND RECOGNITION

Enticer

**INDIA DESIGN
MARK AWARD**

2017

Stealth Air

**CII DESIGN
EXCELLENCE
AWARD**

2018

Stealth Air

**INDIA DESIGN
MARK AWARD**

2018

Efficiencia Neo

**NATIONAL
ENERGY
CONSERVATION
AWARD**

2021

Amaya

**PRODUCT
OF THE YEAR**

2023

Hawa Badlegi

**MARKETING
EXCELLENCE
AWARD**

2023

HAVELLS

**TOP 50
BEST INDIAN
BRANDS**

2023

Artificial Intelligence

real time emotion
analysis

iOT
control

wi-fi

AI


language
process

automation

pattern
recognition

temperature
sensing

machine
learning





FAN PLANT

Havells has installed India's most modern and integrated manufacturing plant for fans in the country. Located in Haridwar. Equipped with state-of-the-art technology including automated CNC machines for motor winding, CNC machines for end covers machining, advanced conveyor assembly lines complete with computerized testing facilities.

The plant has augmented its manufacturing capacity by adding two new units which are further equipped with world-class automated processes. Let the wide range of Havells fans bring in a new change and add value to your lifestyle.

Haridwar, Uttarakhand



QRG TOWER
Head office, Sec. 126, Noida, UP.



ABOUT HAVELLS

Havells India Limited, a leading Fast Moving Electrical Goods (FMEG) company is known for launching top quality and innovative products in India, which are in sync with customer's changing preferences and requirements. Havells has been extremely responsive to the dynamics of the economy and has always broken fresh ground backed by its strong research and development team, raised the bar with contemporary designs, value for money and high quality models.

Over the years, Havells have been a pioneer in the fan category with many "firsts" to its credit. Havells was the First in launching Electroplated Fans, First to introduce Decorative Fans with Metallic Colours (akin to the auto industry) and revolutionized the industry with India's Most Energy Efficient 40 W Ceiling Fan in Induction Motor category and the most "Silent Ceiling Fan". Continuing this legacy, Havells is now introducing a new range of Intelligent and Decorative Ceiling Fans with Smart IoT Functionality, energy saving environment friendly fans with Eco-BLDC technology, best-in-class personal & pedestal fan range with world class finish & features.

The new range offers premium designs with sleek style and intelligence to cater to the needs of a modern consumer. who is discerning and demands the best.





LOOK UP TO
PREMIUM
UNDERLIGHT
FANS





STEALTH

PURO AIR



Height Adjustable Canopy



Upper Ceiling Mood Light & LED Underlight



H-II HEPA & Carbon Filter



Free Installation



Low Noise



- Elegant Design with Premium Trims & ABS molded blades
- Built-in Air Purifier with independent & synchronous operation modes with fan
- Upper Ceiling Mood-light and LED underlight

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1250 mm	80 W	280 r/min	280 m ³ /min

Pearl White Lt Copper



GOOD AQI



MODERATE AQI



UNHEALTHY AQI



VERY UNHEALTHY AQI



HAZARDOUS AQI





BLDC+

ALBUS BLDC UNDERLIGHT



Satin Black Wood



Satin Pine Wood



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



Unique 4 blade design




Low Noise



BLDC INVERTER TECHNOLOGY

- Side changeable Premium MDF blades to suit your home decor
- Mood Changing Undelight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m ³ /min





BLDC+

FLORETTE BLDC UNDERLIGHT



Satin Pine Wood



Satin Black Wood



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



Unique 4 blade design



Low Noise



BLDC INVERTER TECHNOLOGY

- Side changeable Premium MDF blades to suit your home decor
- Mood Changing Undelight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m ³ /min





BLDC+

CRISTA BLDC UNDERLIGHT

 Free Installation

 RF remote control for all direction sensing

 LED Underlight with Colour changing tech

 Winglet Design for low noise

 Dust Resistant Lacquering
Easy Cleaning of Blades


 100% COPPER WIRE WINDING MOTOR
BETTER DURABILITY

 IoT Enabled

 Low Noise

 BLDC INVERTER TECHNOLOGY

- Aerodynamic Winglet blades for superior air delivery
- Mood Changing Underlight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	255 m ³ /min



Champagne Cola



Pearl White LT Copper



Slate Chrome





BLDC+



INOX BLDC UNDERLIGHT



Gold Mist



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



ABS ribbed blades for high strength



Low Noise




BLDC INVERTER TECHNOLOGY



Pearl White

- Ambience LED Undelight with Dimming Features
- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	280 r/min	245 m ³ /min







LIBECCIO BLDC UNDERLIGHT



Slate



Pearl White



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



Aerodynamic ABS Blades



Unique 4 blade design




Low Noise



BLDC INVERTER TECHNOLOGY

- Premium LED Undelight with Dimming Features
- Aerodynamic 4 blade for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	260 r/min	245 m ³ /min



HAVELLS



OCTET

UNDERLIGHT

Brushed Nickel - Wenge




Low Noise



RF remote control for all direction sensing



Underlight with Colour changing tech



8 Wooden Finish blades



- Contemporary Look with 8 blades & stylish undelight
- Superior Air Delivery & Silent Operation
- All Direction-Sensing RF Remote

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	88 W	290 r/min	280 m ³ /min



Black Nickel - Walnut





URBANE

UNDERLIGHT

Black Nickel



Unique 4 blade design



RF remote control for all direction sensing



Underlight with Colour changing tech



Free Installation



Brushed Nickel



Antique Copper

- Ambience LED Undelight with Color change Tech
- Superior Air Delivery & Silent Operation
- All Direction-Sensing RF Remote

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	82 W	300 r/min	260 m ³ /min





LUMENO

UNDERLIGHT



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



- LED Underlight with Intensity adjustment control
- All Direction-Sensing RF Remote
- Contemporary Design to match home decor

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	74 W	280 r/min	260 m ³ /min








FLORENCE ES

UNDERLIGHT



Unique 4 blade design



Pull cord for Speed & Light function




Underlight



Free Installation



- Premium Antique Looks with 4 lamp shades
- All weather fan with dual side rotation
- Contemporary wood finish to match home decor

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	310 r/min	218 m ³ /min



Wenge-Black Antique Brass



Walnut-Black Antique Copper



Elegant White-Nickel



HAVELLS



TRINITY ES

UNDERLIGHT

Dusk Lt copper



RF remote control for all direction sensing




Underlight with Colour changing tech



Free Installation



- Mood Changing Undelight with Dimming Features
- Futuristic Shank-less design with Metallic paint finish
- RF Remote control for Fan, Light, Intensity control


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	220 m ³ /min



Pearl White Lt Copper



Metallic Black Lt Copper





STEALTH AIR

UNDERLIGHT

Metallic Black



RF remote control for all direction sensing



Underlight with Colour changing tech



Free Installation



Aerodynamic ABS Blades



- LED Underlight with dimmable & tunable option
- Highest Air delivery in its class with 18 pole motor
- Dust & Mark Resistant ABS reinforced blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1250 mm	80 W	280 r/min	280 m ³ /min




Pearl White




Indigo Blue





LOOK UP TO
BLDC
ENERGY
SAVING FANS



FLORETTE


BLDC


Unique 4 blade design


RF remote control for all direction sensing


Free Installation


100% COPPER WIRE WINDING MOTOR
HAVELLS PREMIUM QUALITY
BETTER DURABILITY


Low Noise

 **BLDC INVERTER TECHNOLOGY**

- Side changeable Premium MDF blades to suit your home decor
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m ³ /min

Satin Black wood



Satin Pine Wood



BLDC+

CRISTA

BLDC



Champagne Cola



Winglet Design for low noise



Free Installation




Low Noise

- Aerodynamic Winglet blades for Superior Air Delivery
- Dust Resistant coating on the blades



Slate Chrome

Pearl White LT Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	255 m ³ /min



INOX
BLDC



RF remote control for all direction sensing



Low Noise



Free Installation




ABS ribbed blades for high strength



- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	38 W	280 r/min	245 m3/min

Gold Mist



Slate



Pearl White



BLDC+

LIBECCIO

BLDC



RF remote control for all direction sensing



Low Noise



Unique 4 blade design




Aerodynamic ABS Blades



Free Installation



- Aerodynamic 4 blade for Superior Air Delivery
- Dust Resistant coating on the blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m3/min



Slate



BLDC+



Silver Ash



AMAYA

BLDC



RF remote control for all direction sensing



Unique 4 blade design



Low Noise



Free Installation




BLDC INVERTER
TECHNOLOGY

- Italian Rivet-less design with Premium PU Finish
- Compound ABS blades for high strength, silent operation and better air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	40 W	270 r/min	255 m ³ /min



Satin White



BLDC+

STEALTH NEO

BLDC



Pearl White Wood



Mist Wood



RF remote control for all direction sensing



Premium PU finish ABS Blades



Free Installation




Low Noise



BLDC INVERTER TECHNOLOGY

- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m ³ /min



STEALTH PRIME

BLDC



Marble Dusk



RF remote control for all direction sensing



Premium PU finish ABS Blades



Free Installation




Low Noise

- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish



Marble Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m ³ /min




BLDC+

| 47 |

BLDC - ENERGY SAVING FANS

STEALTH AIR

BLDC



Indigo Blue



RF remote control for all direction sensing



Premium PU finish ABS Blades




Low Noise



Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	275 r/min	245 m ³ /min



Metallic Black



Pearl White



TRINITY

BLDC

Black Lt Copper



RF remote control for all direction sensing




- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance



Dusk Lt Copper



Pearl White Lt Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	330 r/min	225 m ³ /min



ENTICER

BLDC



RF remote control for all direction sensing



- Contemporary Design with Wider Blades
- Premium Metallic Finish with Dust Resistant lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	35 W	370 r/min	235 m ³ /min

Champagne



Pearl White Chrome



Bronze Copper Cola Chrome



Espresso Brown LT Copper



Indigo Blue Chrome



BIANCA


BLDC



RF remote control for all direction sensing



- Modern Design with Wider Blade for High Air Thrust
- Premium Metallic Finish with Dust Resistant lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	30 W	360 r/min	222 m ³ /min

Espresso Brown



Gold Mist



Slate



Pearl White



Gold



MILOR

BLDC



RF remote control for all direction sensing




- Stylish Design, Energy Efficient fan
- Premium Metallic Finish with Dust-Resistant Lacquer



Dusk



Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m ³ /min



FESTIVA PRIME

BLDC

Dusk Chrome



RF remote control for all direction sensing



BLDC INVERTER TECHNOLOGY

- Energy Efficient, High-Speed motor for higher air thrust
- Premium Metallic Finish with Dust-Resistant Lacquer



Beige Cola Chrome



Pearl White LT Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m ³ /min



EQUS

BLDC



Smoke Brown



Bianco Bronze



White Maroon



RF remote control for all direction sensing



BLDC INVERTER TECHNOLOGY



- Modern Design with Energy Efficient BLDC motor
- Wider Blades for High Strength and Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m ³ /min



ASTURA

BLDC



Bianco Bronze



RF remote control for all direction sensing



BLDC INVERTER TECHNOLOGY


- Modern Design with Energy Efficient BLDC motor
- Wider Blades for High Strength and Air Delivery



Smoke Brown



White Maroon

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	350 r/min	225 m ³ /min



EFFICIENCIA NEO

BLDC



White



RF remote control for all direction sensing



BLDC INVERTER TECHNOLOGY

- Industry's Most Energy Efficient Fan – 26 Watts
- Ribbed Blades for High Strength

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	33 W	300 r/min	245 m ³ /min
	1200 mm	26 W	350 r/min	220 m ³ /min
	900 mm	28 W	430 r/min	150 m ³ /min



Bianco

Brown

* Also available without remote in regulator compatible variant for projects and institutions



EFFICIENCIA PRIME

BLDC

Bianco




RF remote control for all direction sensing



BLDC INVERTER TECHNOLOGY

- Energy Efficient Fan with 5-Star rating
- Ribbed Blades for High Strength


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	35 W	370 r/min	225 m ³ /min



White



Brown



EFFICIENCIA DX


BLDC



RF remote control for all direction sensing



- Energy Efficient Fan with 5-Star rating
- Ribbed Blades for High Strength

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	30 W	350 r/min	225 m ³ /min

* Also available without remote in regulator compatible variant for projects and institutions

Brown



Bianco




White

HAVELLS





LOOK UP TO
**SPECIAL
FINISH
FANS**



CRISTA ES

BLDC

Slate Chrome



Winglet Design for low noise



Aerodynamic ABS Blades




- Aerodynamic Winglet blades for Superior Air Delivery
- Dust Resistant coating on the blades



Champagne Cola



Pearl White LT Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	300 r/min	245 m ³ /min



INOX ES

Gold Mist



Low Noise



Aerodynamic ABS Blades



- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	280 r/min	245 m ³ /min



Slate




Pearl White





OCTET



8 Wooden Finish blades



Free Installation



- Contemporary Look with 8 blades
- Superior Air Delivery & Silent Operation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	84 W	280 r/min	270 m3/min

Walnut-Black Nickel



Wenge Brushed Nickel



Pinewood-Cola



STEALTH WOOD I - ES



Smart Sense & IOT



Free Installation



Rust Proof ABS Blades



- Superior Air delivery with 18 pole motor
- Dust Resistant ABS blades in wooden texture
- Humidity & Temperature sensor for auto speed control



Walnut-Cola

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	80 W	280 r/min	280 m ³ /min





FLORENCE ES

Black Antique Copper



Unique 4 blade design



Free Installation




- All weather fan with dual side rotation
- Premium Antique Looks in 1 star rating
- Contemporary finish to match home decor



Nickel Gold



Black Antique Brass

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	310 r/min	218 m ³ /min



YORKER

Brushed Nickel



Unique 4 blade design



Free Installation



- Electroplated rust proof lacquer finish blades
- Four blade for wider Air Delivery



Antique Brass



Antique Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	82 W	300 r/min	260 m ³ /min



STEALTH WOOD ES

Pinewood Cola Chrome




Free Installation



Rust Proof ABS
Blades



- Superior Air delivery with 18 pole motor
- Dust Resistant ABS blades in wooden texture

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m ³ /min



Walnut Cola Chrome



STEALTH NEO



Rust Proof ABS Blades



Free Installation




- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

Wood Mist



Wood Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m ³ /min



Wood Mist



Wood Pearl White

STEALTH PRIME



Rust Proof ABS Blades




Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m ³ /min



STEALTH AIR ES

Indigo Blue



Rust Proof ABS Blades



Free Installation




- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m ³ /min
	900 mm	45 W	400 r/min	145 m ³ /min



Pearl White



Metallic Black



STEALTH AIR



Pearl White



Rust Proof ABS Blades



Free Installation




- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
N. A.	1250 mm	80 W	280 r/min	280 m ³ /min



Metallic Black



Indigo Blue



TRINITY I - ES

Dusk LT Copper



Free Installation



RF remote control for all direction sensing



Smart Sense



- Futuristic Shank-less & Non-Rivet Blade design
- Modular 14 Pole motor for superior performance



Silver Chrome




Metallic Cream Nickel

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	280 m ³ /min




India's First
Stainless Steel Fan



FAN-TA-STEEL



- Premium Rust-Free Stainless Steel
- Wider Blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m ³ /min



EP TRENDY

Antique Brass



- Electro-Phoretic lacquered surface for anti-rusting
- Wider tip blades for effective Air circulation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	220 r/min	350 m ³ /min
	900 mm	42 W	140 r/min	420 m ³ /min
NA	600 mm	63 W	800 r/min	110 m ³ /min



Antique Copper

Brushed Nickel





ORION ES

Antique Brass




- Exotic Rich looks with Lacquered Ani-rust Surface
- Wider Blades for Better Air Circulation



Antique Copper



Brushed Nickel


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m ³ /min



TRINITY ES



Metallic Black LT Copper



Non-riquet Blade design

- Futuristic Shank-less & Non-Riviet Blade design
- Modular motor for superior performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	220 r/min	350 m ³ /min



Dusk LT Copper



Pearl White Chrome



HAVELL'S


N
E
S
W

LOOK UP TO
**KIDS
RANGE**





SAUROUS WORLD ES




Wider Blade Tip



Exclusive Design
for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m ³ /min



OCEAN QUEST ES




Wider Blade Tip



Exclusive Design for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m3/min



UNICORN ES



Wider Blade Tip




Exclusive Design
for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m3/min








LOOK UP TO
DECORATIVE
CEILING
FANS





Metallic Black

ENTICER ART ES

LIMITED EDITION



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m ³ /min
	1200 mm	50 W	350 r/min	225 m ³ /min
	1200 mm	57 W	380 r/min	230 m ³ /min
	900 mm	42 W	430 r/min	140 m ³ /min



Pearl White



Espresso Brown Cooper

ENTICER ART ES

HERITAGE EDITION



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m ³ /min
	1200 mm	57 W	380 r/min	230 m ³ /min



ENTICER ES WOOD

WOOD

Oakwood




- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m ³ /min
	1200 mm	57 W	380 r/min	230 m ³ /min



Rosewood



ENTICER ART ES


VINEER EDITION

Walnut



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with unique wood finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m ³ /min
	1200 mm	57 W	380 r/min	230 m ³ /min



ENTICER ART ES

NATURE SERIES



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m ³ /min
	1200 mm	57 W	380 r/min	230 m ³ /min


Espresso Brown



Beige



Stone Pearl White



Flora Sapphire



Wave Pearl Brown



Fauna Champagne



ENTICER ART ES

COLLECTOR EDITION

Rose Gold



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m ³ /min
	1200 mm	57 W	380 r/min	230 m ³ /min





ENTICER ES



- High performance motor with optimum air delivery
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m ³ /min
	1200 mm	50 W	350 r/min	225 m ³ /min
	1200 mm	57 W	380 r/min	230 m ³ /min
	900 mm	42 W	430 r/min	140 m ³ /min
N. A.	600 mm	65 W	850 r/min	110 m ³ /min

Pearl Ivory Beige



Maroon Chrome



Beige Copper



Pearl white gold




Rose Gold



Pearl White Chrome



Metallic Black Chrome



Espresso Brown Copper



Bronze Cola Chrome



Matt White Chrome



Pearl Ivory Cola Chrome



Sapphir Silver



Pearl White Rose Gold



Indigo Blue Chrome




Bronze Pearl Brown



BIANCA ART ES



- Nature Inspired Designs to match modern interior
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	370 r/min	225 m ³ /min



Gold Mist




Pearl White Nickel



BIANCA ES



- Nature Inspired Designs to match modern interior
- Wider Blade tip with Superior Metallic Paint Finish



Espresso Brown



Gold Mist




Slate



Pearl White




Sapphire Silver

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	370 r/min	225 m ³ /min



TRINITY ES

Pearl White Lt Copper



Non-rivet Blade design

- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	220 m ³ /min



Dusk Lt copper



Metallic Black Lt Copper



NICOLA ES



Gold Mist Copper



Bronze Copper




Pearl Ivory Gold



Pearl White Silver



- Contemporary elegant design in metallic paint finish
- Decorative trims on motor cover & blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m ³ /min



MILOR ES

Dusk




- Unique Design in Dust Resistant Premium metallic paint finish
- Premium Canopy set with Down rod Cover



Gold



Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	222 m ³ /min



ANDRIA ES



Quartz



- Modern design to suit contemporary interiors
- Ribbed blade for high air delivery & air thrust




Indigo Blue



Pearl White



Espresso Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m ³ /min



ASTURA ES

Bianco Bronze



White Pearl Ivory




White Maroon



Brown Gold Mist



- Decorative trims with foiling on blades & canopy
- Wider Blade With Dust resistant Metallic Paint Finish
- Robust motor with large diameter

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	390 r/min	218 m ³ /min



EQUS ES



White Maroon



Smoke Brown




Ivory Bronze



White Pearl Ivory



- Crisp, Geometric design to suit contemporary Interiors
- High quality and Subtle Chrome Highlights for Modern looks

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	230 m ³ /min



LEGANZA ES

4 BLADES



Unique 4 blade design


- Superior Metallic Paint Finish
- 4 blade innovative design with blade trim & Body ring



Bronze Gold



Pearl White Silver

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m ³ /min



ZESTER ES



Slate




- Modern styling with tangential blades
- Decorative blade trims with 3D design pattern



Dusk

Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	222 m ³ /min



FUSION PRIME ES

Beige - Brown



- Broad blades with elegant trims
- Stylish canopies with unique downrod cover



Mist - Espresso Brown

Pearl Brown-Gold

Pearl Ivory-Beige

Silver - Blue


Pearl Ivory-Gold

Espresso Brown - Cola Copper

Pearl White - LT Copper

Indigo Blue - Chrome

Matt Black

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	220 m ³ /min



FESTIVA PRIME ES



Rose Gold Cola Chrome



Beige Cola Chrome




Pearl White LT Copper



Dusk Chrome



- Dust Resistant with metallic paint finish
- Wider blade tip for high Air delivery
- Robust motor with large diameter

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	225 m ³ /min



FESTIVA ES



- Dust Resistant with metallic paint finish
- Decorative Trims on Blade & Canopy
- Robust motor with large diameter

Ocean Blue Silver



Mauve



Espresso Brown



Mist



Pearl Copper Gold




Pearl Ivory



Pearl White Silver



Gold Mist

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	230 m ³ /min



FUSION ES



Espresso Brown



- Dust Resistant with metallic paint finish
- Decorative Trims on Blade & Canopy

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m ³ /min
	1200 mm	50 W	350 r/min	225 m ³ /min
	900 mm	42 W	430 r/min	140 m ³ /min
N. A.	600 mm	65 W	850 r/min	110 m ³ /min



Pearl White Silver



Silver Blue



Beige-Brown



Pearl Ivory Gold




QUICK AIR

Matt Blue



- Wider Tip Blade for Higher Air Delivery
- UV metallized Body ring and Trim for Enhanced Looks
- Robust motor with large diameter

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	56 W	380 r/min	225 m ³ /min



White




Bianco



Smoke Brown





LOOK UP TO
**REGULAR
FANS**







SS 390 METALLIC ES



- Wider Tip Blade for Effective Air Circulation
- Aerodynamic Designed blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	320 r/min	250 m ³ /min
	1200 mm	55 W	390 r/min	230 m ³ /min
	900 mm	42 W	420 r/min	140 m ³ /min
N. A.	600 mm	65 W	850 r/min	110 m ³ /min

Pearl White



Sparkle Brown



Pearl Brown



Pearl Ivory Gold




SS 390 ES



- Wider Tip Blade for Effective Air Circulation
- Aerodynamic Designed blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	320 r/min	250 m ³ /min
	1200 mm	55 W	390 r/min	230 m ³ /min
	900 mm	42 W	420 r/min	140 m ³ /min
N. A.	600 mm	65 W	850 r/min	110 m ³ /min

Bianco



White



Matt White



Brown



AEROKING ES

Blanco




- Unique Ribbed Aluminum Blades for Better Air Spread
- Elegant Design & High Speed Performance.



White



Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	380 r/min	220 m ³ /min



SAMRAAT ES

Brown



- Aerodynamically designed Aluminum Blades for Better Air Spread
- Elegant Design & High-Speed Performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m ³ /min
	1200 mm	55 W	390 r/min	230 m ³ /min
	900 mm	42 W	430 r/min	140 m ³ /min
N. A.	600 mm	65 W	850 r/min	110 m ³ /min



White

Bianco



THRILL AIR ES

Brown



- High Speed optimum Air Delivery
- Long Lasting paint finish



Smoke Brown



Matt Blue



Bianco




Sea Green



Grey



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	390 r/min	215 m ³ /min





PACER ES

Brown



- Optimum Air Delivery with 2 STAR Rating
- Long Lasting paint finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m ³ /min
	1200 mm	50 W	350 r/min	225 m ³ /min



White

Bianco



VELOCITY ES



- Optimum Air Delivery even at low voltage
- Long Lasting paint finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	252 m ³ /min
	1200* mm	52 W	350 r/min	220 m ³ /min
	900 mm	42 W	420 r/min	140 m ³ /min

*1200 mm is ISI certified.

Bianco



Brown




White



SUPER SPEED ES



- High Speed optimum Air Delivery.
- Long Lasting paint finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	380 r/min	220 m ³ /min



Bianco



White

Brown



ES 40

Bianco




- Aerodynamic Blades for maximum Air delivery.
- Energy Efficient 3 star rating



Brown



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	212 m ³ /min



ES 50

Brown




- Simplistic design with optimum Air Delivery.
- Energy Efficient 2 star rating



Bianco

White


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m ³ /min



ES NEO



- Simplistic design with optimum Air Delivery
- Energy Efficient 2 star rating

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m ³ /min



Brown



Bianco


White



ES PLUS



- Ergonomic design with optimum Air Delivery.
- Energy Efficient 2 star rating

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m ³ /min



Brown



Bianco



SPEEDSTER



Brown



Unique 4 blade design



High Speed

- Aerodynamically designed blades
- Superior air delivery even at low voltage



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	600 mm	65 W	850 r/min	110 m ³ /min




HAVELLS



LOOK UP TO
**TABLE
FANS**



VELOCITY NEO-HS



White




Double Ball Bearing

- High speed motor for better air delivery
- Smooth oscillation
- Superior low voltage performance


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m ³ /min



SWING LX HS



Purple




Cool Blue



Double Ball Bearing

- High speed motor for better air delivery
- Smooth oscillation
- Superior low voltage performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m ³ /min



ACCELERO HS/NS



- Hi-speed motor for better air delivery
- Smooth oscillation

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	High Speed	120 W	2100 r/min	95 m ³ /min
NA	400 mm	Normal Speed	55 W	1350 r/min	65 m ³ /min

Model is available with High and Normal Speed Variant.


White Red




White Grey



SWING LX



Cherry



White




- Smooth oscillation
- Pivot arrangement for tilting & oscillation
- Aerodynamically designed & balanced PP blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



SAMEERA



White




Grey




- Jerk free oscillation
- Pivot arrangement for tilting & oscillation
- Aerodynamically designed & balanced PP blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min








LOOK UP TO
**WALL
FANS**



GIRIK GOLD



Pull cord for Speed & Oscillation

- Wooden texture body & blade to complement room decor
- Golden guards & trim for premium look
- Pull cord for On/Off, Speed & Oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



Gold





AINDRILA




- Upto 8 hours timer
- Remote control operation
- Soft touch panel for fan operation
- ABS body for high strength and gloss
- Standard, Natural, Breeze & Sleep Mode
- Additional fuse for protection against high voltage & spikes

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



Brown Black




Blue Grey




Dusty Rose White




PLATINA BLDC



Magenta



Yellow



Blue



THERMAL OVERLOAD
PROTECTED MOTORS




100%
COPPER WIRE
WINDING MOTOR
BETTER DURABILITY



BLDC INVERTER
TECHNOLOGY

- Sturdy and well built design
- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	28 W	1350 r/min	65 m ³ /min



PLATINA REMOTE



- Smooth oscillation with synchronous motor
- I.R. remote control
- High performance motor
- Aerodynamically designed & balanced heavy duty PP blades



White


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



PLATINA - HS



Double Ball Bearing




Pull cord for Speed & Oscillation



- Smooth oscillation
- Aerodynamically designed balanced heavy duty PP blade

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m ³ /min




White



PLATINA




White



Pull cord for Speed & Oscillation

- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



MARVEL WIND HS



Double Ball Bearing



Pull cord for Speed & Oscillation



HIGH SPEED




THERMAL OVERLOAD PROTECTED MOTORS




100% COPPER WIRE WINDING MOTOR
BETTER DURABILITY

- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m ³ /min



White Yellow



White Blue




White

AIRBOLL-HS



Double Ball Bearing



Pull cord for Speed & Oscillation



- Smooth oscillation
- Aerodynamically designed & balanced propeller type blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	110 W	1750 r/min	100 m ³ /min



ACCELERO - HS / NS




Pull cord for Speed & Oscillation


- Smooth oscillation
- Pull cord for 3-speed control

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	High Speed	90 W	2000 r/min	65 m ³ /min
NA	400 mm	High Speed	120 W	2100 r/min	95 m ³ /min
NA	300 mm	Normal Speed	50 W	1350 r/min	55 m ³ /min
NA	400 mm	Normal Speed	55 W	1350 r/min	65 m ³ /min

Model is available with High and Normal Speed Variant.




Red




Grey



PENTAFORCE



Grey-Wine




White-Green



- Smooth oscillation
- Aerodynamically designed & balanced propeller type blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	62 W	1350 r/min	65 m ³ /min



D'ZIRE HS



Double Ball Bearing*




Pull cord for Speed & Oscillation



- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	45 W	2800 r/min	30 m ³ /min
NA	300 mm	90 W	2000 r/min	65 m ³ /min

*Only available in 300 mm sweep




White



D'ZIRE



Grey



Pull cord for Speed & Oscillation

- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	50 W	1350 r/min	55 m ³ /min
NA	400 mm	55 W	1350 r/min	65 m ³ /min



SWING - HS



Double Ball Bearing



Pull cord for Speed & Oscillation



- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	90 W	2000 r/min	65 m ³ /min
NA	400 mm	120 W	2100 r/min	95 m ³ /min



White




SWING



Pull cord for Speed & Oscillation

- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed balanced blades


STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	Normal Speed	50 W	1350 r/min	55 m ³ /min
	400 mm	Normal Speed	55 W	1350 r/min	65 m ³ /min



Off White




SAMEERA




Pull cord for Speed & Oscillation

- Elegant looks
- High Air Delivery
- Attractive colour combinations



Grey



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



V3




Black

- Sturdy & heavy duty aluminium blades for high air delivery
- Sleek & stylish design
- Smooth oscillation


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	100 W	1350 r/min	100 m ³ /min



GIRIK NEO



Black



Pull cord for Speed & Oscillation

- Wider oscillation
- Rust free Aluminium blades
- Powerful motor for high air delivery
- Pull cord control for speed & oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min







LOOK UP TO
**LIFESTYLE
FANS**



CIERA HS



- Grill for protection
- Ideal for mounting on low height ceiling and in cabin



White



Off White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	80 W	2400 r/min	70 m ³ /min
NA	300 mm	80W	2400 r/min	75 m ³ /min



SWING GYRO



White



- 360° gyrosopic movement / adjustable wind direction
- Grill for protection
- Ideal for mounting on low height ceiling
- Aerodynamically designed balanced ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	60 W	1350 r/min	65 m ³ /min



KOOL-MATE



White



- 90° vertical tilting
- 30° - 90° - 180° - 360° automatic horizontal oscillation
- Aerodynamic turbo design for maximum air
- 1 hour - 2 hours - 4 hours - 8 hours auto-timer
- 3 speed modes normal, nature & sleep
- Remote control and LED display



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	200 mm	45 W	2200 r/min	12 m ³ /min



AIRWYNN



White




- Grill for protection
- Ideal for mounting on low height ceiling and in cabin

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	80 W	2200 r/min	60 m ³ /min



MINI YO



Grey



White



Carbon filter for pure air



Portable usb charging



Stylish carry handle



Gentle touch power button



2 Speed setting



Upto 3 Hours battery backup



COOLBUDDY



White



- 90° vertical tilting
- Rechargeable design with USB connection
- Digital button to control wind speed Upto 4-Levels

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	140 mm	5 W	2200 r/min	5 m ³ /min



CRESCENT



- Revolving grill for wide spread of air
- Table and wall mounting - dual purpose
- 3 speed operation
- 180° fan head movement
- Super silent operation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	250 mm	40 W	1300 r/min	50 m ³ /min



Yellow



Blue



I COOL- HS



White Maroon

- Unique multi-directional adjustment for desired air flow
- Unique propeller, deep pitched blades for powerful air flow
- Multi purpose fan can be mounted on table, wall & ceiling

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	175 mm	52 W	2200 r/min	40 m ³ /min



Black Grey



On wall



On Table



On Ceiling



BIRDIE HS



Yellow Maroon



Black Grey




- Jerk free oscillation and smooth running
- Multi use fan suitable for desk, wall or cabin mounted application
- Strong air blast

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	40 W	2800 r/min	38 m ³ /min



BREEZO - HS




White



- High Speed & High air thrust
- Multipurpose - Can be used as Desk fan or Wall fan
- Three speed control

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	80 W	2200 r/min	60 m ³ /min





LOOK UP TO
**PEDESTAL
FANS**



AINDRILA PREMIUM



- Square Guard Design for premium Looks
- Timers Upto 8 hours
- LED Light at the Bottom
- Sleep Mode and Breeze Mode
- Soft touch option along with remote control

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



Brown Black



Blue Grey




Silky Crystal



Dusty Rose White



TOURNER



- Up to 8 h timer for automatic switch OFF
- Adjustable oscillation from 30° to 360°
- 90° face up position for air circulation in room
- Remote control operation and LED touch panel on fan

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	65 W	1250 r/min	65 m ³ /min



White



SPRINT-18 HS



Double Ball Bearing

- Smooth oscillation
- Heavy base for stability


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	120 W	2000 r/min	100 m ³ /min



White




SPRINT-16 HS




Double Ball Bearing

- Smooth oscillation
- Heavy base for stability

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2000 r/min	90 m ³ /min



White



SPRINT BLDC



Low Noise



Low Power Consumption



Sturdy and Well-built




1350 Revolution per minute



BLDC INVERTER TECHNOLOGY

- Attractive bi-colour metallic finish
- Telescopic height adjustment

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	28 W	1350 r/min	65 m ³ /min




White Yellow



Wine Red



Blue



SPRINT LED



- Heavy base for stability
- LED indicator lights
- Available in two attractive color combinations

Model also available without remote.

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



Wine Red



Blue





TRENDY METALLIC



- Sturdy base for more stability
- Rust free aluminium blades
- Upto 2 hours timer with automatic switch off

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



Mettalic Black



TRENDY HS



Double Ball Bearing

- Motorized smooth oscillation
- 3 Speed control
- ABS blades for better air thrust


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m ³ /min



Yellow



Blue



TRENDY



- Elegantly designed switch box
- Higher air delivery
- Available in attractive colour combinations

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min




Blue White



Golden White



Green White



PENTAFORCE



- Elegant Looks
- Sturdy Square Base for more stability
- 3 Speed Control
- 5 Leaf Blade design for High Air delivery
- Upto 2 hours timer with automatic switch off

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	62 W	1350 r/min	65 m ³ /min



Magenta



White Green




MARVELWIND HS



Double Ball Bearing

- Elegant looks
- Sturdy base for more stability

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m ³ /min



White Blue



White Yellow



SWING



- Smooth oscillation
- Elegantly designed switch box

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	55 W	1350 r/min	65 m ³ /min



White




ACCELERO NS




- Elegant looks
- Sturdy base for more stability

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min




White Grey



White Red



ACCELERO HS



White Grey

White Red



- Elegant looks
- Sturdy base for more stability

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m ³ /min



ORO



- 3 speed control
- Smooth oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m ³ /min



White



MINI HS




- Three step speed control
- Aluminium blades for high air flow
- Smooth oscillation & wider area coverage

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	250 mm	50 W	2000 r/min	55 m ³ /min



White





V2



- High structural stability
- Strong motor for High Air Delivery
- Superior performance at Low & High voltages
- Aerodynamically designed rust proof Aluminium blades
- Speed independent smooth & constant oscillations

Black Silver

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	110 W	1400 r/min	110 m ³ /min





V3



Black



- Smooth oscillation
- Aerodynamically designed rust proof aluminium blades
- Heavy base for stability

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	100 W	1400 r/min	100 m ³ /min



WINDSTORM OXY



- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment
- 3 leaf metal blade
- Smooth oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	500 mm	130 W	1400 r/min	135 m ³ /min




Silver Grey



WINDSTORM OXY - II



Silver Grey




- Sweep 400 mm
- High performance motor
- Aerodynamically designed blades
- Smooth oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	115 W	2200 r/min	100 m ³ /min



WINDSTORM



Silver Black



- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment
- Unique aerodynamically designed 3 leaf metal blade for excellent air thrust

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	500 mm	130 W	1400 r/min	135 m ³ /min





HAVELLS

LOOK UP TO
**VENTILAIR
FANS**






VENTO JET

Auto Inox


- Brushed steel finish
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	31 mm
150 mm	194 mm	194 mm	148 mm	124 mm	38 mm



Unique Automatic Shutter





Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m ³ /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m ³ /h	220 V-240 V	50 Hz	42 dB



VENTO JET



Auto

- Off-white color
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	31 mm
150 mm	194 mm	194 mm	148 mm	124 mm	38 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m ³ /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m ³ /h	220 V-240 V	50 Hz	42 dB



VENTO JET

Inox

- Brushed steel finish
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning




Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	38 mm
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m ³ /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m ³ /h	220 V-240 V	50 Hz	42 dB



VENTO JET

- Off-white color
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	98.5 mm	38 mm
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m ³ /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m ³ /h	220 V-240 V	50 Hz	42 dB



VENTILAIR ZX

- Ease of cleaning & maintenance
- Seamless design & finish
- Low noise operation
- High Air Delivery



Front View


Sweep	A	B	C	D	E
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	2200 r/min (RPM)	275 m ³ /h	220 V-240 V	50 Hz	42 dB



VENTILAIR ZXC

- Ease of cleaning & maintenance
- Seamless design & finish
- Low noise operation
- High Air Delivery





Sweep	A	B	C	D	E
100 mm	235 mm	213 mm	30 mm	95 mm	200 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	26 W	1400 r/min (RPM)	74 m ³ /h	220 V-240 V	50 Hz	45 dB



VENTILAIR DX-C

- Modern design & elegant look
- Ideal for centrally air conditioned bathrooms and mounting on ceiling




Sweep	A	B	C	D	E
130 mm	264 mm	242 mm	33.5 mm	97 mm	228 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
130 mm	24 W	1200 r/min (RPM)	150 m ³ /h	220 V-240 V	50 Hz	42 dB



DXW CELSO

- Modern looks and sleek design for easy fitting
- Ideal for mounting on glass
- Pull cord for fan switch on-off and shutter open-close
- Shutter to prevent entry of insects, pest and rodents



Sweep	A	B	C	D	E	F
150 mm	198 mm	198 mm	90 mm	148 mm	35 mm	55 mm
200 mm	250 mm	250 mm	250 mm	106 mm	180 mm	60 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	15 W	1750 r/min (RPM)	170 m ³ /h	220 V-240 V	50 Hz	48 dB
200 mm	20 W	1600 r/min (RPM)	280 m ³ /h	220 V-240 V	50 Hz	48 dB





VENTILAIR DX-WE

- Modern design, fashionable and elegant look
- Suitable for window & wall mounted indoor installation
- Electrically operated automated front shutter



Sweep	A	B	C	D	E	F
150 mm	208 mm	208 mm	120 mm	146 mm	58 mm	62 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1760 r/min (RPM)	300 m ³ /h	220 V-240 V	50 Hz	45 dB


Note: Also available with thermally operated automatic shutter (DX-WT)



VENTILAIR BLDC



- Easy installation on glass window & wood panels
- Powerful air suction for clean and odorless air
- Mosquito net to avoid entry of insects
- Very low noise




Sweep	A	B	C	D	Cut out space for installation Ø A
150 mm	200 mm	147 mm	93.5 mm	18 mm	153 mm
200 mm	250 mm	180 mm	128 mm	11 mm	184 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	5 W	1760 r/min (RPM)	180 m ³ /h	220 V-240 V	50 Hz	40 dB
200 mm	6 W	1760 r/min (RPM)	252 m ³ /h	220 V-240 V	50 Hz	40 dB



VENTILAIR DXW

- Modern design, fashionable & elegant look
- Ideal for mounting on glass window & wood panels




Sweep	A	B	C	D	E	F
100 mm	150 mm	150 mm	81 mm	97 mm	35 mm	46 mm
150 mm	208 mm	208 mm	106 mm	146 mm	46 mm	60 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2400 r/min (RPM)	100 m ³ /h	220 V-240 V	50 Hz	43 dB
150 mm	25 W	2000 r/min (RPM)	300 m ³ /h	220 V-240 V	50 Hz	45 dB



VENTILAIR DXR

- Back shutter & fan "ON-OFF" operations are inter-locked through pull cord
- Easy installation on glass & wood panels




Sweep	A	B	C	D	E	F	G	H
150 mm	210 mm	150 mm	80 mm	72 mm	35 mm	32 mm	180 mm	142 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1800 r/min (RPM)	300 m ³ /h	220 V-240 V	50 Hz	45 dB



VENTILAIR HUSH

- Modular concept
- High suction capacity
- Noiseless operation
- Removable front plate for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	27 mm	72 mm	98 mm
150 mm	200 mm	200 mm	28 mm	94 mm	145 mm




Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2450 r/min (RPM)	140 m ³ /h	220 V-240 V	50 Hz	35 dB
150 mm	25 W	2000 r/min (RPM)	275 m ³ /h	220 V-240 V	50 Hz	40 dB



VENTILAIR DXZ NEO

- Easy installation on glass / window panels
- High quality plastic, resistant to colour change
- Elegant front grill
- Also available in black color




Sweep	A	B	C	D
150 mm	165 m m	165 mm	115 mm	68 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	2000 r/min (RPM)	250 m³/h	220 V-240 V	50 Hz	45 dB



VENTILAIR DX

- Ideal for mounting on wood
- High quality engineering plastic, resistant to colour change with anti-static properties




Sweep	A	B	C	D	E
150 mm	150 mm	241 mm	172 mm	73 mm	50 mm
200 mm	200 mm	298 mm	240 mm	90 mm	40 mm
250 mm	250 mm	348 mm	290 mm	90 mm	48 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1350 r/min (RPM)	280 m ³ /h	220 V-240 V	50 Hz	40 dB
200 mm	32 W	1350 r/min (RPM)	520 m ³ /h	220 V-240 V	50 Hz	45 dB
250 mm	35 W	1200 r/min (RPM)	860 m ³ /h	220 V-240 V	50 Hz	48 dB



VENTILAIR DX - HS

- Ideal for mounting on wood
- High quality engineering plastic, resistant to colour change with anti-static properties




Sweep	A	B	C	D	E
150 mm	150 mm	241 mm	172 mm	73 mm	50 mm
200 mm	200 mm	298 mm	240 mm	90 mm	40 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	30 W	2300 r/min (RPM)	600 m ³ /h	220 V-240 V	50 Hz	60 dB
200 mm	65 W	2000 r/min (RPM)	850 m ³ /h	220 V-240 V	50 Hz	60 dB



VENTILAIR LX

- Modern design, fashionable and elegant look
- Ideal for mounting on glass window and wooden panels




Sweep	A	B	C	D	E
150 mm	208 mm	21 mm	90 mm	150 mm	208 mm
200 mm	255 mm	22 mm	90 mm	200 mm	255 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	22 W	2000 r/min (RPM)	280 m ³ /h	220 V-240 V	50 Hz	50 dB
200 mm	35 W	1800 r/min (RPM)	500 m ³ /h	220 V-240 V	50 Hz	50 dB



THRILL AIR DX

- Rust proof body and blades
- Automatic shutter
- Durable motor




Sweep	A	B	C	D	E	F
150 mm	150 mm	244 mm	212 mm	191 mm	65 mm	125 mm
200 mm	200 mm	294 mm	262 mm	241 mm	70 mm	101 mm
250 mm	250 mm	344 mm	312 mm	291 mm	69 mm	115 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	24 W	1370 r/min (RPM)	270 m ³ /h	220 V-240 V	50 Hz	40 dB
200 mm	28 W	1350 r/min (RPM)	500 m ³ /h	220 V-240 V	50 Hz	45 dB
250 mm	36 W	1300 r/min (RPM)	800 m ³ /h	220 V-240 V	50 Hz	48 dB



THRILL AIR - DX HS

- Rust proof body and blades
- Automatic shutter
- Durable motor




Sweep	A	B	C	D	E	F
150 mm	150 mm	244 mm	212 mm	191 mm	65 mm	125 mm
200 mm	200 mm	294 mm	262 mm	241 mm	70 mm	101 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	55 W	2500 r/min (RPM)	650 m ³ /h	220 V-240 V	50 Hz	60 dB
200 mm	65 W	2000 r/min (RPM)	800 m ³ /h	220 V-240 V	50 Hz	60 dB



VENTILAIR DB

- Double ball bearings
- Heavy duty motor
- Protective steel bird guard
- Robust construction




Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
230 mm	45 W	1400 r/min (RPM)	860 m ³ /h	220 V-240 V	50 Hz	45-50 dB
300 mm	70 W	1400 r/min (RPM)	1850 m ³ /h	220 V-240 V	50 Hz	45-50 dB



VENTILAIR DS

- Specially designed metal blade
- Powder coated long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	38 W	2800 r/min (RPM)	400 m ³ /h	220 V-240 V	50 Hz	45-50 dB
230 mm	35 W	1400 r/min (RPM)	800 m ³ /h	220 V-240 V	50 Hz	45-50 dB
300 mm	40 W	1400 r/min (RPM)	1060 m ³ /h	220 V-240 V	50 Hz	45-50 dB



VENTILAIR DSP

- Specially designed metal blade
- Powder coated long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	30 W	1400 r/min (RPM)	300 m ³ /h	220 V-240 V	50 Hz	45-50 dB
230 mm	40 W	1350 r/min (RPM)	510 m ³ /h	220 V-240 V	50 Hz	45-50 dB
300 mm	50 W	1350 r/min (RPM)	900 m ³ /h	220 V-240 V	50 Hz	45-50 dB



VENTILAIR DS HS

REVERSIBLE

- Specially designed metal blades
- Powder coated for long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
230 mm	65W	2300 r/min (RPM)	1050 m ³ h	220 V - 240 V	50 Hz	68 dB
300 mm	75 W	2300 r/min (RPM)	1533 m ³ h	220 V - 240 V	50 Hz	70 dB





LOOK UP TO
**INDUSTRIAL
FANS**





TURBOFORCE

PEDESTAL AIR CIRCULATOR FAN




- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sweep

Dimensional Specifications (mm) - Pedestal:

Size (Sweep)	A	B	C	D	E	F	
						Minimum	Maximum
450 mm	500 mm	145 mm	365 mm	785 mm	450 mm	1290 mm	1430 mm
600 mm	670 mm	166 mm	390 mm	1150 mm	585 mm	1340 mm	1650 mm
750 mm	840 mm	176 mm	412 mm	1150 mm	705 mm	1340 mm	1650 mm

Technical Specifications:

Sweep	Volt (V)	Frequency (Hz)	Power Consumption	Speed r/min (RPM)	Phase	Air Del. m ³ /min	No. of blades	No. of Speeds	Noise Level dB
450 mm Pedestal	230 V	50 Hz	100 W	1440 r/min	1 Phase	150 m ³ /min	3 N	3	62 dB
600 mm Pedestal	230 V	50 Hz	180 W	1440 r/min	1 Phase	280 m ³ /min	3 N	1	72 dB
750 mm Pedestal	230 V	50 Hz	235 W	1400 r/min	1 Phase	300 m ³ /min	3 N	1	75 dB



Air delivery measurement at a distance of 6 times blade sweep from the fan. Built-in regulators available only for 450 mm sweep. Conforming to IS: 2997-1964.

Tolerance on ratings (As per IS 2997-1964)
 Speed -10%
 Power +10%
 Air Delivery -10%

* Design/Specifications may vary without notice due to continuous technology up-gradation.



TURBOFORCE

WALL AIR CIRCULATOR FAN




- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Indexable to different positions up to 15°
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sweep

Dimensional Specifications (mm) - Wall:

Size (Sweep)	A	B	C	D	E	G1	G2	H
450 mm	500 mm	145 mm	590 mm	200 mm	565 mm	84 mm	108 mm	157 mm
600 mm	670 mm	166 mm	585 mm	185 mm	680 mm	150 mm	120 mm	170 mm
750 mm	840 mm	176 mm	660 mm	185 mm	680 mm	150 mm	120 mm	170 mm

Technical Specifications:

Sweep	Volt (V)	Frequency (Hz)	Power Consumption	Speed r/min (RPM)	Phase	Air Del. m ³ /min	No. of blades	No. of Speeds	Noise Level dB
450 mm Wall	230 V	50 Hz	100 W	1440 r/min	1 Phase	150 m ³ /min	3 N	3	62 dB
600 mm Wall	230 V	50 Hz	180 W	1440 r/min	1 Phase	280 m ³ /min	3 N	1	72 dB
750 mm Wall	230 V	50 Hz	235 W	1400 r/min	1 Phase	300 m ³ /min	3 N	1	75 dB



Air delivery measurement at a distance of 6 times blade sweep from the fan.
 Built-in regulators available only for 450 mm sweep.
 Conforming to IS: 2997-1964.


Tolerance on ratings (As per IS 2997-1964)
 Speed -10%
 Power +10%
 Air Delivery -10%

* Design/Specifications may vary without notice due to continuous technology up-gradation.




TURBOFORCE / TURBOFORCE NEO

HEAVY DUTY EXHAUST FAN



- Corrosion resistant body, minimal noise operation & maintenance free design
- Totally enclosed, highly efficient heavy duty motor with pressure die cast aluminium rotor mounted on two ball bearings
- Aerodynamically contoured blades handle maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation
- Conforming to IS: 2312 -1967
- Available in various sizes with I & III phase
- An IP55 rated product (protected from limited dust ingress and from low pressure water jets from any direction)
- Available 300 mm, 380 mm, 450 mm, 600 mm & 900 mm Sweep
(Above size are available in 900 r/ min (RPM) and 1400 r/ min (RPM))






Dimensional Specifications (mm) :

Dimensions (in mm)	Ø H mm	X mm	YSQ mm	Ø S mm
300 mm H.D. Exhaust Fan	7.7 mm	388 mm	310 mm	322 mm
380 mm H.D. Exhaust Fan	10.5 mm	462 mm	373 mm	401 mm
450 mm H.D. Exhaust Fan	10.5 mm	550 mm	442 mm	483 mm
600 mm H.D. Exhaust Fan	10.5 mm	718 mm	603 mm	635 mm

Technical Specifications :

Sweep (mm)	Phase	Speed r/min (RPM)	Input (Watt)	Current (Ampere)	Free air flow (m³/h)	Noise Level (dB)
300 mm	1 Phase	900 r/min	55 W	0.26 A	1275 m³/h	50 dB - 55 dB
		1400 r/min	90 W	0.43 A	1950 m³/h	60 dB - 65 dB
380 mm	1 Phase	900 r/min	100 W	0.48 A	2250 m³/h	55 dB - 60 dB
		1400 r/min	166 W	0.77 A	3700 m³/h	65 dB - 70 dB
450 mm	1 Phase	900 r/min	145 W	0.7 A	4400 m³/h	60 dB - 65 dB
		1400 r/min	410 W	1.98 A	6200 m³/h	75 dB - 80 dB
600 mm	1 Phase	900 r/min	850 W	2.65 A	10520 m³/h	70 dB- 75 dB
380 mm	3 Phase	1400 r/min	170 W	0.4 A	3700 m³/h	65 dB- 70 dB
450 mm	3 Phase	1400 r/min	370 W	0.82 A	6800 m³/h	75 dB - 80 dB
600 mm	3 Phase	900 r/min	500 W	0.95 A	10520 m³/h	70 dB - 75 dB
900 mm	3 Phase	700 r/min	1320 W	5.73 A	25200 m³/h	75 dB - 80 dB



Tolerance on ratings (As per IS 2312-1967)
 Speed -5% to +10%
 Power +10%
 Air Delivery -10%

At 230 V, 1 Phase, 50 Hz AC
 or 400 V, 3 Phase, 50 Hz AC

HAVELLS INDIA LTD.

Corp Office: QRG Towers, 2D, Sector-126,
Expressway, Noida-201304 (U.P.) Ph. +91-120-4771000
Email : marketing@havells.com, Website : www.havells.com
Customer Care No. 08045 77 1313

CIN: L31900DL1983PLC016304

Pictures and details of the product(s) in this catalogue are merely illustrative. Actual products may vary in colour, design, description and colour combination etc. Due care has been taken that the information provided herein is accurate but is subject to human error. The information is updated from time to time. Havells India Limited reserves its rights to amend data/details without prior notice.

Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

