

29.7 cm

29.7 cm



R R Kabel Limited

Corp. Office:

Alembic Business Park (West), Ground Floor, Bhailal Amin Marg, Gorwa, Vadodara - 390 003, Gujarat.

Regd. Office:

R R Kabel Limited, Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai, 400 013,
Tel No.: +91-22-24929009 / 24924144

Customer Care Toll Free No.: 1800 203 2676

Email: customercare@rrglobal.com

Terms & conditions apply.

"Photographs of the Products shown above are indicative only. Owing to continuous innovation and improvements, actual product may vary in design, description, colors and color combinations from one shown herein. Care has been taken to ensure that information contained herein is correct and updated from time to time. RR KABEL LIMITED, however, takes no responsibility of the variations and reserves its right to make changes in the data/details, without any prior intimation or notice."

59.4 cm

LUMINOUS Lighting

IS
NOW

RR signature Lights



EXQUISITE LIGHTING
COLLECTION 2024

21 cm

29.7 cm

29.7 cm



ABOUT RR GLOBAL

RR Global, a USD 1.25 billion conglomerate has moulded its success on innovation. Since the foundation of the brand, its architects opted that innovation is the key to success of every product in the brand. It was a really courageous decision because at that point in time categories like wires and cables were highly commoditized. This optimistic development led to the creation of a brand - RR Kabel, a name which is admired worldwide with existence over 90+ countries across the globe.

Presently the company is ranked amongst the top three retail wire manufacturers across the nation. It is also the largest consumer of copper in India, an achievement which no one would have imagined a cable and wire company to be capable of and that is the reason they are preferred by clients who are some of the largest copper manufacturer in the country.

RR Global takes honour in establishing 9 companies and global offices, primarily in the U.A.E and Bangladesh. In their endeavour to set international benchmarks, RR Kabel has received 19 international accreditations. They are the first in India to have BASEC (U.K.), UL (U.S.A.), VDE (Germany), among others for its wide range of cables including ISO 50001 and ISO 14001.

Across the course of four decades, their impulse towards innovation to achieve success and hard work steered them to earn phenomenal recognition with RR Kabel becoming the desired choice for wires and cables not only in India but also on a global platform.

RR Global India focusses on cutting edge technology and research to enhance efficiency, reliability, and safe conduction of electricity. This in turn supported the core of the company's engineering endeavour which is to guarantee safe environments everywhere- offices, commercial spaces, Industrial plants, and residences.

59.4 cm

21 cm

29.7 cm

29.7 cm



ABOUT RR SIGNATURE

Introducing RR Signature, a premium brand with world-class offerings envisioned to create timeless indoors. With Luminous' design sensibilities and passion for innovation backed by RR's legacy built over four decades, stay rest assured that your ideas will come to life. Our offerings bring you pieces that are exquisite, balanced and unique to bring you fans that are both functional and beautiful. Going forward we'll bring offerings that expand in versatility, range, and innovations. Whether you're looking to enhance the look of your bedroom, living room, office or any other space, we've got you covered. Browse through our catalogue and discover how our fans can help add charm to your beautiful home.

21 cm

02

03

59.4 cm

29.7 cm

29.7 cm



RR
signature
Lights

WE EXPERIMENT SO LIFE BECOMES SIMPLER FOR YOU

We innovate not to isolate you from technology, but to make our technology feel more empathetic. We create products that understand and respond to your needs. Our intensive research and development are what make us the leading power and home electrical specialists; We do whatever it takes to find the most effective lighting solutions, with our customer's best interests at the heart of it.

04

05

59.4 cm

21 cm

29.7 cm

29.7 cm



RR
signature
Lights

**WHEN WE CREATE,
WE HAVE YOU BOTH IN
OUR MINDS AND HEARTS.**

Isn't it wonderful to feel understood? We get that some days, a simple smile can brighten up a room, while other days call for a softer, more soothing ambiance. We know that romance thrives in dim lighting, but focus requires a different kind of illumination. Whatever the moment, our lighting adapts to your mood and needs, ensuring the perfect atmosphere every time.

06

07

59.4 cm

21 cm

29.7 cm

29.7 cm



WIDE RANGE OF LIGHTING



BECAUSE YOUR DAY HAS A RANGE OF DIFFERENT MOMENTS.

At the heart of our innovation is anticipating your every need. Our comprehensive range of LED lighting is designed to seamlessly fit into every corner of your home, offering exactly what you're looking for. Enjoy the benefits of consistent, glare-free illumination that saves up to 85% energy, while ensuring long-lasting brightness and worry-free performance. With customizable brightness options, our LED lighting solutions bring a sense of warmth and comfort, creating a space that truly feels like home.

08


09

59.4 cm

21 cm

29.7 cm

29.7 cm



RR
signature
Lights

COB
RANGE

COB RANGE

A Perfect Blend of Style and Performance

COB (Chip on Board) lights are a modern and highly efficient lighting solution designed for various indoor and outdoor applications. These lights feature an array of LED chips mounted closely together on a single board, creating a powerful, focused beam with minimal glare. Their compact design and high lumen output make them an ideal choice for both decorative and functional lighting purposes & recommended highly by Architects & Consultants.

Features:

- High Efficiency
- Uniform Lighting
- Long Lifespan
- Versatile Design
- Eco-Friendly

Make the switch to COB lighting for a smart, stylish, and sustainable lighting solution!

10

11

59.4 cm

21 cm


29.7 cm

29.7 cm



COB LIGHT SHIMMER CYLINDER


8W | 12W | 20W



High Colour Rendering index (CRI > 80) for true colours



Intense Focused Light



Lifelong Brightness



Wattage Variants	Housing	Reflector	Dimension (Dia xH)mm	CCT	CRI	*Lumen Efficacy
8W	Black/White	NB / RG	55 x 65	CW/WW/NW	>80	80 lm/W
12W	Black/White	NB / RG	75 x 90	CW/WW/NW	>80	80 lm/W
20W	Black/White	NB / RG	95 x 110	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)
Reflector: Nickel Black (NB), Rose Gold (RG)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries

21 cm

59.4 cm


29.7 cm

29.7 cm



COB SHIMMER PRO SURFACE TILT

8W | 12W



High Colour
Rendering
index (CRI>80)
for true colours



Intense Focused
Light, Tiltable
Design



Lifelong
Brightness



Wattage Variants	Housing	Reflector	Dimension (Dia xH)mm	Color	CRI	*Lumen Efficacy
8W	Black/White	NB / RG	63 x 68	CW/WW/NW	>80	80 lm/W
12W	Black/White	NB / RG	78 x 95	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)
Reflector: Nickel Black (NB), Rose Gold (RG)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries

21 cm

59.4 cm


29.7 cm

29.7 cm




**COB LIGHT
SHIMMER
REC REF**


8W | 12W | 20W



High Colour Rendering index (CRI > 80) for true colours



Intense Focused Light



Lifelong Brightness



Wattage Variants	Housing	Reflector	Cut-out (Dia) mm	Dimension (Dia x H)mm	Color	CRI	*Lumen Efficacy
8W	Black/White	NB / RG	65	70 x 50	CW/WW/NW	>80	80 lm/W
12W	Black/White	NB / RG	80	85 x 65	CW/WW/NW	>80	80 lm/W
20W	Black/White	NB / RG	88	95 x 75	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)
Reflector: Nickel Black (NB), Rose Gold (RG)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries

21 cm

59.4 cm


29.7 cm

29.7 cm



COB LIGHT SHIMMER DEEP RECESSED


8W | 12W | 20W



High Colour Rendering index (CRI > 80) for true colours



Intense Focused Light



Lifelong Brightness



Wattage Variants	Housing	Cut-out (Dia)mm	Dimension (Dia xH)mm	Color	CRI	*Lumen Efficacy
8W	Black/White	56	64 x 61	CW/WW/NW	>80	80 lm/W
12W	Black/White	75	85 x 76	CW/WW/NW	>80	80 lm/W
20W	Black/White	80	90 x 87	CW/WW/NW	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries

21 cm

59.4 cm


29.7 cm

29.7 cm

LAUNCHING SOON

SHIMMER COB LIGHT


3W



High Colour Rendering index (CRI > 80) for true colours



Intense Focused Light



Rich colors for decoration



Wattage (per meter)	CCT/Color	Cut-out (Dia) mm	Dimension (Dia x H) mm	CRI	*Lumen Efficacy
3W/m	CW/WW/Red/Green/Blue	55	70 x 35	>80	90
	3CCT CW+WW+NW	55	70 x 35	>80	90
	3 Color Red + Blue + Violet	55	70 x 35	NA	NA

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)

APPLICATION



Homes
Homes



Restaurants
Small offices



Showrooms
Showrooms



Poles Lighting



Galleries



Contour
Lighting

20

21

59.4 cm

21 cm


29.7 cm

29.7 cm



COB LIGHT SHIMMER UP & DOWN


2W | 4W | 6W



Outdoor Application



Intense Focused Light



Lifelong Brightness



Wattage Variants	COB/Side	No. of Sides	Dimension	CCT	CRI
2W Updown 1X1	1	2	65 x 86 x 35	WW	>80
4W Updown 2X2	2	2	107 x 80 x 35	WW	>80
6W Updown 3X2	3	2	160 x 80 x 40	WW	>80
4W 4Way 1x4	1	4	90 x 90 x 40	WW	>80


* Lumens @ 6500K, may vary as per colour

* CCT-3000K (WW)

APPLICATION



Homes



Restaurants



Showrooms



Hotel



Galleries

21 cm

59.4 cm

29.7 cm

29.7 cm





LED DESIGNER LAMP

LED DESIGNER LAMP HAZEL & CAMELLIA

Introducing our stylish Hazel and Camellia LED designer lamps, crafted to elevate your interiors with a perfect blend of elegance and functionality. These 10W decorative LED lights are not only energy-efficient but also designed to offer a unique architectural look that complements any modern space.

Features:

- Unique Architectural Design
- Decorative 10W LED Lights
- Easy Installation
- No electrician is required, plug and play for immediate lighting.
- Adjustable Illumination
- Two-Way Rotation

Transform your living spaces with the sleek, versatile, and functional Hazel and Camellia LED Designer Lamps—perfect for creating stylish and adjustable lighting effects.

21 cm

24

25

59.4 cm


29.7 cm

29.7 cm




HAZEL DESIGNER LED LAMPS

10W




Unique
Architectural
Design



Fits in Standard B22d Holder –
No Electrician required



10W Light:
920 Lumens



Adjustable Illumination
direction with two-way rotation



Input Power	Rated Efficacy	CCT (K)	PF	CRI	Color
10W	92lm/W	6500K	CDL	>0.9	≥80

APPLICATION



Showrooms



Institutions



Shops



Common
Areas



21 cm

59.4 cm


29.7 cm

29.7 cm




CAMELLIA DESIGNER LED LAMPS

10W




300° Rotation



120° Adjustable height




Unique Architectural Design



Fits in Standard B22d Holder – No Electrician required



10W Light: 920 Lumens



Adjustable Illumination direction with two-way rotation

Input Power	Rated Efficacy	CCT (K)	PF	CRI	Color
10W	92lm/W	6500K	CDL	>0.9	≥80

APPLICATION



Showrooms



Institutions



Shops



Common Areas



21 cm

59.4 cm

29.7 cm

29.7 cm



RR
signature
Lights

CHAIN (STRIP & ROPE) LIGHTS

LED Rope Lights & LED Strip Lights – Versatile Lighting Solutions

Our **AC Rope Lights** and **DC LED Strip Lights** are flexible, energy-efficient solutions perfect for decorative and functional lighting in both indoor and outdoor spaces.

Features:

- Flexible & Durable
- Vibrant Colors
- Energy-Efficient & Long-Lasting
- Versatile Applications

Illuminate your spaces with our LED Rope & Strip Lights, combining efficiency, flexibility, and vibrant lighting for any occasion!

CHAIN (STRIP & ROPE) LIGHTS

21 cm

59.4 cm

29.7 cm

29.7 cm



WAVE LED ROPE LIGHT

8W per/mtr
12W per/mtr



Outdoor Application



Rich colors for decoration




Wattage (per meter)	Color	Length (meter)	LEDs/m	IP
8W/m	CW/NW/WW Red/Green/Blue/Pink Purple/Ice Blue/Amber	45	60	65
12W/m	CW/NW/WW Red/Green/Blue/Pink Purple/Ice Blue/Amber	45	120	65
12W/m	Tiranga	18	120	65

APPLICATION



Homes
Homes



Restaurants
Small offices



Showrooms
Showrooms



Poles Lighting



Galleries



Contour
Lighting

21 cm

59.4 cm

29.7 cm

29.7 cm



WAVE ECO LED STRIP LIGHT

24W | 48W | 60W



Rich colors for decoration



12V Operation Safe to Use



Wattage	Wattage (per meter)	CCT/Color	Length	LEDs/m
24W	4.8W/m	CW/NW/WW Red/Green/Blue/Pink Ice Blue/Amber	5m	60
48W	9.6W/m	CW/NW/WW Red/Green/Blue/Pink Ice Blue/Amber	5m	120
60W	12W/m	CW/NW/WW Red/Green/Blue/Pink Ice Blue/Amber	5m	240

APPLICATION



Homes



Restaurants



Showrooms



Galleries



Contour Lighting

21 cm

59.4 cm

29.7 cm

29.7 cm



LED WAVE DC STRIP CV DRIVER

24W | 60W | 72W | 96W



Constant Voltage Driver




High Surge Protection (4KV)

Wattage Variants	Driver Type	Dimension	Output Voltage	Output Current	Body
24W	Constant Voltage	85 x 38 x 30	12V	2A	PC
60W	Constant Voltage	150 x 43 x 30	12V	5A	PC
72W	Constant Voltage	150 x 43 x 30	12V	6A	PC
96W	Constant Voltage	150 x 43 x 30	12V	8A	PC

APPLICATION



Homes



Restaurants



Showrooms



Galleries



Contour Lighting

21 cm

59.4 cm

29.7 cm

29.7 cm



LED DOWNLIGHTS & PANELS

Sleek, Efficient Lighting for Modern Spaces Our LED Downlighters and LED Panels offer stylish, energy-efficient lighting solutions designed to enhance the aesthetics and functionality of residential, commercial, and office spaces. Combining cutting-edge technology with sleek designs, these products provide uniform, glare-free illumination.

Features:

- Compact and Stylish
- Wide Application
- Uniform Illumination
- Energy-Efficient
- Long Lifespan
- Multiple Sizes and Color Temperatures

Upgrade your space with our LED Downlighters and LED Panels for a bright, energy-efficient, and aesthetically pleasing lighting experience!

LED DOWNLIGHTS & PANELS

21 cm

59.4 cm


29.7 cm

29.7 cm


LAUNCHING SOON

CELESTIA NEO DOWNLIGHT ROUND / SQUARE

9W | 15W



High Colour Rendering index (CRI > 80) for true colours



High Functional Light Efficacy (upto 100 Lumens per watt)



Mood Lighting



Wattage Variants	Color 3CCT Tunable	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
9W Round	CW/WW/NW	96	>0.9	≥80	90 lm/W
9W Square	CW/WW/NW	96x96	>0.9	≥80	90 lm/W
15W Round	CW/WW/NW	145	>0.9	≥80	100 lm/W
15W Square	CW/WW/NW	145x145	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION




Homes



Small offices



Showrooms




21 cm

59.4 cm


29.7 cm

29.7 cm



**CELESTIA
DOWNLIGHTER
ROUND /
SQUARE**
(Backlit Technology)

6W | 10W | 12W | 15W | 20W



6500K High Functional
Light Efficacy
(upto 100 Lumens
per watt)



High Colour Rendering
index (CRI>80)
for true colours



Wattage Variants	Color	Cut-out Dimension(mm)	PF	CRI Efficacy	*Lumen
6W Round	CW/WW/NW/Pink/Blue/Green	96	>0.9	≥80	85 lm/W
6W Square	CW/WW/NW/Pink/Blue/Green	96x96	>0.9	≥80	85 lm/W
10W Round	CW,WW,NW	96	>0.9	≥80	90 lm/W
10W Square	CW,WW,NW	96x96	>0.9	≥80	90 lm/W
12W Round	CW,WW,NW	130	>0.9	≥80	100 lm/W
12W Square	CW,WW,NW	130x130	>0.9	≥80	100 lm/W
15W Round	CW,WW,NW	145	>0.9	≥80	100 lm/W
15W Square	CW,WW,NW	145x145	>0.9	≥80	100 lm/W
20W Round	CW,WW,NW	201	>0.9	≥80	100 lm/W
20W Square	CW,WW,NW	201x145	>0.9	≥80	100 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Small offices



Showrooms

21 cm

59.4 cm



29.7 cm

29.7 cm



CELESTIA 2x2 LED DOWNLIGHTER


40W




6500K High Functional
Light Efficacy
(100 Lumens per watt)



High Colour Rendering
index (CRI>80)
for true colours



Ultra Slim
Construction



Smooth Light
Distribution



Safe for
Eye

Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
40W	CW/NW/WW	595mmx595mm	>0.9	>80	100 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shopping Malls



Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm




ZOLO ECO LED SLIM PANEL ROUND / SQUARE (Edgelit Technology)

6W | 9W | 12W | 15W



Ultra Slim Construction



Smooth Light Distribution



Lifelong Brightness



Safe for eyes



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
6W Round	CW	107	>0.9	>80	70 lm/W
6W Square	CW	107x107	>0.9	>80	70 lm/W
9W Round	CW	107	>0.9	>80	70 lm/W
9W Square	CW	107x107	>0.9	>80	70 lm/W
12W Round	CW	158	>0.9	>80	80 lm/W
12W Square	CW	158x158	>0.9	>80	80 lm/W
15W Round	CW	158	>0.9	>80	80 lm/W
15W Square	CW	158x158	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION



Homes



Hotels



Showrooms

21 cm

59.4 cm



29.7 cm

29.7 cm



CELESTIA LED SURFACE PANEL ROUND / SQUARE

8W | 15W | 22W



Slim
Compact
Beauty



Safe For
Eyes



High Colour
Rendering
Index (CRI>80)
for true colours



Wattage Variants	Color	Dimension	PF	CRI	*Lumen Efficacy
8W Round	CW/NW/WW/Pink/Blue/Green	90x25	>0.9	≥80	80 lm/W
8W Square	CW/NW/WW/Pink/Blue/Green	90x90X25	>0.9	≥80	80 lm/W
15W Round	CW/NW/WW	120X25	>0.9	≥80	80 lm/W
15W Square	CW/NW/WW	120X120X25	>0.9	≥80	80 lm/W
22W Round	CW/NW/WW	155X25	>0.9	≥80	80 lm/W
22W Square	CW/NW/WW	155X155X25	>0.9	≥80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shops

59.4 cm

21 cm


29.7 cm

29.7 cm



COMET PRO CEILING LIGHTS


3W



High Efficacy Of 80 Lumens Per Watt



Safe For Eyes



High Colour Rendering Index (CRI>80) for true colours



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
3W	CW/WW Red/Green/Blue/Pink	58	>0.9	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Shops



Cafes

21 cm

59.4 cm

50

51


29.7 cm

29.7 cm



COMET ECO CEILING LIGHTS

5W | 7W | 9W



High Efficacy
Of 80
Lumens
Per Watt



Suitable For
4-inch
Junction Box
Ceiling Fitting



Suitable For
False Ceiling
Installation



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
5W	CW/NW/WW	80	>0.9	>80	80 lm/W
7W	CW/WW/NW	85	>0.9	>80	80 lm/W
9W	CW/WW/NW	85	>0.9	>80	80 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Shops



Cafes



Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm



COMET NEO 2 IN 1


7W | 12W



High Colour Rendering Index (CRI > 80) for true colours



Suitable For 2.5-inch Junction Box Ceiling Fitting




Lifelong Brightness



Wattage Variants	Inner Circle Color	Outer Ring Color (mm)	Cut-out Dimension	PF	CRI	Lumen Efficacy
7W	CW	WW/Pink/Blue/Green/PBG	50	>0.9	>80	100 lm/W
12W	CW	WW/Pink/Blue/Green/PBG	50	>0.9	>80	100 lm/W

* CCT-6500K (CDL), 3000K (WW), Pink, Blue, Green (PBG)



APPLICATION



Homes



Shops



Cafes

59.4 cm

21 cm


29.7 cm

29.7 cm



SPECTRA ECO SWIVEL DOWNLIGHT

3W | 6W | 9W | 12W



Spotlight illumination



Intense Focused Light, Tiltable Design, Unique Lens



High Colour Rendering Index (CRI>80) for true colours



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	Lumen Efficacy	CCT
3W	WW	55	>0.9	>80	70 lm/W	3000K
6W	WW	67	>0.9	>80	80 lm/W	3000K
9W	WW	90	>0.9	>80	80 lm/W	3000K
12W	WW	112	>0.9	>80	80 lm/W	3000K

APPLICATION



Homes



Hotels



Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm




LED SURFACE PANEL-STRIKER

3W | 5W



Smooth
Light
Distribution



Lifelong
Brightness



High Colour
Rendering
Index (CRI>80)
for true colours



Wattage Variants	Color	Size Dia xH (mm)	PF	CRI	*Lumen Efficacy
3W	CW/WW Red/Green/Blue/Pink	68 x 14	>0.9	>80	55 lm/W
5W	CW/WW Red/Green/Blue/Pink	63 x 17	>0.9	>80	90 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Hotels



Cafes



Furniture

21 cm

59.4 cm


29.7 cm

29.7 cm



SPECTRA ECO SPOTLIGHT

2W



Spotlight illumination



Intense Focused Light



Wattage Variants	Color	Cut-out Dimension (mm)	PF	CRI	*Lumen Efficacy
2W	CW/WW Red/Green/Blue/Pink	34.5	>0.9	>80	50 lm/W

Lumens @6500K, may vary as per colour

* CCT-6500K (CDL), 3000K (WW)

APPLICATION



Homes



Hotels



Showrooms



Furniture

59.4 cm

21 cm

29.7 cm

29.7 cm



OUTDOOR RANGE (FLOOD LIGHT, STREET LIGHT & BULKHEAD)

Outdoor LED Lighting Solutions – Power, Performance, and Efficiency

Our range of Outdoor LED Lighting Solutions—including Flood Lights, LED Sensor Street Lights, LED Street Lights & LED Bulkhead –offers advanced, energy-efficient lighting tailored for demanding industrial and outdoor applications. Built for durability and long-lasting performance, these lights are designed to provide optimal illumination while reducing energy consumption and maintenance costs.

Features

- Energy Efficiency
- Robust Construction
- Long Lifespan
- Eco-Friendly

Upgrade your industrial and outdoor lighting with our state-of-the-art LED solutions, designed for maximum efficiency, reliability, and sustainability.

OUTDOOR RANGE

21 cm

62

63

59.4 cm

29.7 cm

29.7 cm



QUANTO PRO FLOODLIGHT

20W | 30W | 50W | 100W | 150W | 200W



Strong and Sturdy Construction



High Surge Protection



Weather Protection



Wattage Variants	Color	Dimension (LxW) mm	PF	Lumen Efficacy
20W	CW/WW	120 x 113	>0.9	100 lm/W
30W	CW/WW	142 x 129	>0.9	100 lm/W
50W	CW/WW	169 x 212	>0.9	100 lm/W
100W	CW/WW	202 x 212	>0.9	100 lm/W
150W	CW/WW	275 x 285	>0.9	100 lm/W
200W	CW/WW	315 x 333	>0.9	100 lm/W

* Lumens @ 6500K, may vary as per colour

APPLICATION

- 
Offices
- 
Malls
- 
Assembly Lines
- 
Parking
- 
Warehouses
- 
Railway & Airports Station
- 
Sport Halls
- 
Recreational Facilities
- 
Gardens & Parks

21 cm

59.4 cm

29.7 cm

29.7 cm



**STREETO NEO
STREET LIGHT
WITH SENSOR**


45W



Day Light
Sensor



IP 66
Outdoor
Lighting



Non-Flickering
Performance



Wattage Variants	Color	Dimension (LxW) mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
45W	CW	455 x 191	>0.9	≥70	100 lm/W	4KV	IP66

APPLICATION




Villas



School &
College



Pathways



21 cm

59.4 cm

66

67


29.7 cm

29.7 cm



SREETO ECO STREET LIGHT


20W | 30W | 50W | 100W



Certified Bright LEDs



IP 66 Outdoor Lighting



Non-Flickering Performance



Wattage Variants	Color	Dimension (LxW) mm	PF	CRI	Lumen Efficacy	Power Surge Protection	IP
20W	CW	255 x 102	>0.9	≥70	100 lm/W	4KV	IP66
30W	CW	298 x 120	>0.9	≥70	100 lm/W	4KV	IP66
50W	CW	346 x 142	>0.9	≥70	100 lm/W	4KV	IP66
100W	CW	455 x 191	>0.9	≥70	100 lm/W	4KV	IP66

APPLICATION



Villas



School & College



Condominiums



Cafes



Pathways

21 cm

59.4 cm


29.7 cm

29.7 cm



METEORA LED BULKHEAD


10W | 20W



High Colour
Rendering
index (CRI>80)
for true colours



Semi
Outdoor
Lighting



Lifelong
Brightness



Wattage Variants	CCT	Dimension	CRI	*Lumen Efficacy
10W	CW/WW/NW	170 x 67 x 46	>80	80 lm/W
20W	CW/WW/NW	210 x 97 x 55	>80	80 lm/W

* Lumens @ 6500K, may vary as per colour

* CCT-6500K (CW), 4000K (NW), 3000K (WW)

APPLICATION



Homes



Gardens



Garage



Shops

21 cm

59.4 cm

70

71

29.7 cm

29.7 cm



GATE & WALL DECORATIVES

Gate Decorative & Wall Decorative Fixtures – Elevating Aesthetics

Our **Gate Decorative** and **Wall Decorative Fixtures** are thoughtfully designed to bring both elegance and functionality to outdoor and indoor spaces, respectively. Whether enhancing the exterior or beauty of entryways or adding a stylish touch to your interiors, these fixtures blend aesthetic appeal with reliable performance.

Features:

- Elegant Entrance Lighting:
- Durable Construction:
- Soft, Ambient Lighting:
- Versatile Styles:

Enhance your spaces with our **Gate Decorative** and **Indoor Wall Decorative Fixtures**, offering the perfect blend of style, durability, and energy-efficient lighting solutions for both outdoor and indoor settings!

GATE & WALL DECORATIVES

21 cm

72

73

59.4 cm

29.7 cm

29.7 cm

LAUNCHING SOON

GATE DECOR MILAN MAGIC

10W | 20W



Outdoor Usage



Weather Protection



Aluminium Die Cast body



Milan Magic 10W
152mm x 152mm x 195mm



Milan Magic 20W
200mm x 200mm x 250mm

APPLICATION



Homes



School & College



Bunglows



Office Areas

21 cm

59.4 cm

74

75

29.7 cm

29.7 cm

LAUNCHING SOON



GATE DECOR SWISS SHINE

ROUND | SQUARE | OVAL



Outdoor Usage



Weather Protection



Aluminium Die Cast body



Swiss Shine Square
220mm x 220mm x 215mm



Swiss Shine Round
220mm x 190mm



Swiss Shine Oval
175mm x 165mm x 215mm

APPLICATION



Homes



School & College



Bungalows




Office Areas

21 cm

59.4 cm

29.7 cm

29.7 cm



GATE DECOR

150MM/200MM/250MM



IK07



B22 base cap



Strong Polycarbonate body



Sydney Spark 250mm



Secura 200mm



Thunder 200mm



Berlin Bright 200mm



Glowbox 200mm



Pearl 150mm



Starex 150mm



Secura 150mm

APPLICATION



Homes



School & College



Bungalows




Office Areas

21 cm

59.4 cm

29.7 cm

29.7 cm



Indoor Usage



B22 base cap



Strong Polycarbonate body

RR signature
Lights



Secura 150mm



Starex 150mm

APPLICATION



Homes



School & College



Bungalows




Office Areas

21 cm

59.4 cm

29.7 cm

29.7 cm



LED BATTENS & LED LAMPS

LED Battens & LED Lamps – Efficient and Versatile Lighting Solutions

Our **LED Battens** and **LED Lamps** provide efficient, reliable, and versatile lighting options designed to meet the diverse needs of homes, offices, and commercial spaces. With energy-efficient technology and long-lasting performance, these products offer bright, uniform illumination for a variety of applications.

Features

- Sleek Design
- Energy-Efficient
- Durable and Long-Lasting
- Easy Installation

Versatile Lighting

Long Lifespan

Available in Multiple Color Temperatures

Illuminate your spaces with our LED Battens and LED Lamps—the perfect combination of efficiency, versatility, and durability for modern lighting needs!

21 cm

59.4 cm


29.7 cm

29.7 cm



LED BATTEN ALUMINUM FRAME

40W | 50W



Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Aluminium
Mechanical
Construction



Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 6500K
MaxiGlo Plus	40W	CW	Square	1185	>0.9	≥80	4000lm
MaxiGlo Plus	40W	WW	Square	1185	>0.9	≥80	3600lm
MaxiGlo Plus	50W	CW	Square	1185	>0.9	≥80	5000lm
MaxiGlo Plus	50W	WW	Square	1185	>0.9	≥80	4500lm

APPLICATION



Homes



Small
Offices



Common
Area

21 cm


59.4 cm

84

85

29.7 cm

29.7 cm



Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Unibody
Mechanical
Construction



Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Lumen @ 6500K
DuraGlo Lite	6W	CW/WW/NW	Square	300	>0.9	≥80	600lm
DuraGlo Lite	10W	CW/WW/NW	Square	600	>0.9	≥80	1000lm
DuraGlo	20W	CW/WW/NW	Square	600	>0.9	≥80	2000lm
DuraGlo Lite	22W	CW/WW/NW	Square	1100	>0.9	≥80	2200lm
SpectraGlo	24W	CW/WW/NW	Square	1135	>0.9	≥80	2400lm
DuraGlo Plus	32W	CW/WW/NW	Square	1185	>0.9	≥80	3200lm

APPLICATION



Homes



Offices



Showrooms

21 cm

59.4 cm


29.7 cm

29.7 cm




**LED COLOR
BATTEN
DURAGLO
LITE**

22W



Sleek
Square
Shape
Illumination



Robust
Electronics
For Long-life &
Diffused Optics



Strong
Unibody
Mechanical
Construction



Product Name	Input Power	Color	Shape	Size (mm)	PF	CRI	Material
Duraglo Lite	22W	Pink, Green, Blue, Red, Tiranga	Square	1100	>0.9	≥80	Plastic

APPLICATION



Homes



Small
Offices




Showrooms

21 cm

59.4 cm

29.7 cm

29.7 cm



High Colour Rendering Index (CRI>80) for true colours



Upto 4 hours Backup time



Overcharging & deep discharge protection



Input Power	Color	Size (mm)	PF	CRI	Lumen@ 6500K
9W	CDL	70 x 138	>0.9	≥80	900lm
12W	CDL	70 x 138	>0.9	≥80	1200lm
15W	CDL	77 x 160	>0.9	≥80	1500lm

APPLICATION



Homes



Institutions



Shops



Common Areas

21 cm

59.4 cm

LAUNCHING
SOON



LED BLAZE PRO IP65 LAMPS

40W | 50W




29.7 cm


29.7 cm



Outdoor Application



Brighter Lighting



Works on Wide Voltages



Input Power	Color	Size Dia x H (mm)	PF	CRI	Lumen	Lumen Efficacy
40W	CW	120 x 167	>0.9	≥80	4000lm	100lm/W
40W	WW	120 x 167	>0.9	≥80	3600lm	90lm/W
50W	CW	140 x 190	>0.9	≥80	5000lm	100lm/W
50W	WW	140 x 190	>0.9	≥80	4500lm	90lm/W

APPLICATION



Showrooms



Institutions



Shops



Common Areas

21 cm

59.4 cm


29.7 cm

29.7 cm




LED BLAZE ECO LAMPS


12W | 15W | 18W | 30W



Bigger
Diffuser



Brighter
Lighting



High Functional
Light Efficacy
(upto 100
Lumens per watt)



Input Power	Color	Base/Cap	Size Dia x H (mm)	PF	CRI Efficacy	Lumen
12W	CW	B22d	60 x 116	>0.9	≥80	105lm/W
15W	CW	B22d	70 x 127	>0.9	≥80	105lm/W
18W	CW	B22d	80 x 136	>0.9	≥80	105lm/W
30W	CW	B22d	100 x 152	>0.9	≥80	105lm/W

APPLICATION



Showrooms



Institutions



Shops



Common Areas




Homes

59.4 cm

21 cm

29.7 cm

29.7 cm



Bigger Diffuser



Brighter Lighting



Work On Wide Voltages



Safe for eyes



Input Power	Color	Base/Cap	Size Dia x H (mm)	PF	CRI	Lumens
2.7W	CW	B22d	50 x 86	>0.9	≥80	270
2.7W	WW	B22d	50 x 86	>0.9	≥80	250
2.7W	WW	E27	50 x 86	>0.9	≥80	250
6W	CW	B22d	60 x 107	>0.9	≥80	630
8W	CW	B22d	60 x 107	>0.9	≥80	840
9W	CW	E27	60 x 110	>0.9	≥80	945
9W	WW	B22d	60 x 110	>0.9	≥80	828
9W	WW	E27	60 x 110	>0.9	≥80	828
10W	CW	B22d	60 x 107	>0.9	≥80	900
12W	CW	B22d	64 x 110	>0.9	≥80	1260
15W	CW	B22d	70 x 130	>0.9	≥80	1575
18W	CW	B22d	80 x 150	>0.9	≥80	1890
20W	CW	B22d	80 x 150	>0.9	≥80	2100
20W	WW	B22d	80 x 150	>0.9	≥80	1840
24W	CW	B22d	80 x 150	>0.9	≥80	2520

APPLICATION



Showrooms



Institutions



Shops



Common Areas

21 cm


59.4 cm

96

97


29.7 cm

29.7 cm



AMBER ECO LED DECO LAMPS

0.5W



Rich colors for decoration



Soothing effect for sleep mode



Input Power	Color	Dimension Dia x H (mm)	Beam Angle	Base
0.5W	White, Warm White Yellow, Red, Blue, Green Multicolor	45 x 70	200°	B22d

* Lumen may vary as per colour.

APPLICATION



Bedrooms



Prayer Rooms



Staircases

21 cm

59.4 cm

29.7 cm

29.7 cm

21 cm

59.4 cm

NOTES



100

101

